

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) 2020/878**

ZZ29-0000-0AA  
Version 7.3

Brilliance NeutralCleaner Konz  
Revision date 24 Jun 2025

Print date 24 Jun 2025

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade name/designation**

ZZ29-0000-0AA Brilliance NeutralCleaner Konz

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

paint and/or paint-related material

**Relevant identified uses**

Reserved for industrial and professional use.

**1.3 Details of the supplier of the safety data sheet**

**Supplier**

Berger-Zobel GmbH  
Coating Systems  
Maybachstr. 2  
67269 Grünstadt  
Germany

Telephone: +49 6359 8005-0  
E-mail: [info@berger-zobel.de](mailto:info@berger-zobel.de)  
Website: [www.berger-zobel.de](http://www.berger-zobel.de)

**Department responsible for information**

E-mail (competent person) [Sicherheitsdaten@berger-zobel.de](mailto:Sicherheitsdaten@berger-zobel.de)

**1.4 Emergency telephone number**

Emergency telephone number +49 700 24112112  
24 hr. emergency phone number

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

**2.2 Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms**

not applicable

**Signal word**

not applicable

**Hazard statements**

not applicable

**Precautionary statements**

not applicable

**Hazard components for labelling**

not applicable

**Supplemental hazard information**

EUH210 Safety data sheet available on request.

**2.3 Other hazards**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**SECTION 3: Composition/information on ingredients.**

**3.2 Mixtures**

**Description**

Wassser, Lösemittel und Tenside

**Hazardous ingredients**

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) 2020/878**

ZZ29-0000-0AA  
Version 7.3

Brilliance NeutralCleaner Konz  
Revision date 24 Jun 2025

Print date 24 Jun 2025

CAS No. EC No. Index No.	Substance name REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%
* 34590-94-8 252-104-2 -	<b>(2-methoxymethylethoxy)propanol</b> 01-2119450011-60-XXXX Substance with a common (EC) occupational exposure limit value.	3,00 < 5,00
166736-08-9 605-450-7 -	<b>Oxiran, 2-Methyl-, Polymer mit Oxiran, Mono(2-propylheptyl)ether</b> Acute Tox. 4 H302 / Eye Dam. 1 H318 Specific concentration limit (SCL) Eye Dam. 1 H318: >= 10,00	3,00 < 5,00
* 68515-73-1 500-220-1 -	<b>D-Glucopyranose,oligomeric,decyl octyl glycosides</b> 01-2119488530-36-XXXX Eye Dam. 1 H318 Specific concentration limit (SCL) Eye Dam. 1 H318: >= 10,00	2,00 < 2,50
* 67-63-0 200-661-7 603-117-00-0	<b>isopropanol; isopropyl alcohol; propan-2-ol</b> 01-2119457558-25-XXXX Flam. Liq. 2 H225 / Eye Irrit. 2 H319 / STOT SE 3 H336	0,500 < 1,00
5989-27-5 227-813-5 601-029-00-7	<b>(R)-p-Mentha-1,8-dien</b> 01-2119529223-47-XXXX Flam. Liq. 3 H226 / Asp. Tox. 1 H304 / Skin Irrit. 2 H315 / Skin Sens. 1B H317 / Aquatic Acute 1 H400 / Aquatic Chronic 3 H412	0,150 < 0,200
3811-73-2 223-296-5 613-344-00-7	<b>Pyridine-2-thiol 1-oxide, sodium salt</b> 01-2119493385-28-XXXX Acute Tox. 4 H302 / Acute Tox. 3 H311 / Skin Irrit. 2 H315 / Skin Sens. 1 H317 / Eye Irrit. 2 H319 / Acute Tox. 3 H331 / STOT RE 1 H372 / Aquatic Acute 1 H400 (M = 100,00 ) / Aquatic Chronic 2 H411 / EUH070	< 0,025
* 2634-33-5 220-120-9 613-088-00-6	<b>1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one</b> 01-2120761540-60-XXXX Acute Tox. 4 H302 / Skin Irrit. 2 H315 / Skin Sens. 1 H317 / Eye Dam. 1 H318 / Aquatic Acute 1 H400 Specific concentration limit (SCL) Skin Sens. 1 H317: >= 0,05 ATE (dermal): > 2,000 mg/kg ATE (oral): 454 mg/kg	0,001 < 0,01

**Remark**

Full text of H- and EUH-statements: see section 16.

**Regulation (EC) No. 648/2004 [Detergents regulation]**

5% >= x < 15% non-ionic surfactants, < 5% perfumes

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

**General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

**Following inhalation**

In case of irregular breathing or respiratory arrest provide artificial respiration. Remove casualty to fresh air and keep warm and at rest.

**Following skin contact**

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

**After eye contact**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

**Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

**Self-protection of the first aider**

First aider: Pay attention to self-protection!

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) 2020/878**

ZZ29-0000-0AA  
Version 7.3

Brilliance NeutralCleaner Konz  
Revision date 24 Jun 2025

Print date 24 Jun 2025

**4.2 Most important symptoms and effects, both acute and delayed**

**Symptoms**

In all cases of doubt, or when symptoms persist, seek medical advice.

**4.3 Indication of any immediate medical attention and special treatment needed**

First Aid, decontamination, treatment of symptoms.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

**Suitable extinguishing media**

alcohol resistant foam, Carbon dioxide (CO<sub>2</sub>), Powder, spray mist, (water)

**Unsuitable extinguishing media**

Strong water jet

**5.2 Special hazards arising from the substance or mixture**

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

**5.3 Advice for firefighters**

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition. Ventilate affected area. Do not breathe vapours.

**6.2 Environmental precautions**

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

**6.3 Methods and material for containment and cleaning up**

**For containment**

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

**For cleaning up**

Clean using cleansing agents. Do not use solvents.

**6.4 Reference to other sections**

Safe handling: see section 7

Personal protection equipment: refer to section 8

Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

**Advices on safe handling**

Avoid contact with skin, eyes and clothes. Personal protection equipment: see section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

**Advices on general occupational hygiene**

When using do not eat, drink or smoke.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

**Hints on joint storage**

Keep away from strongly acidic and alkaline materials as well as oxidizers.

**Storage class** LGK10 - Combustible liquids that cannot be assigned to any of the above storage classes

**Further information on storage conditions**

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) 2020/878**

ZZ29-0000-0AA  
Version 7.3

Brilliance NeutralCleaner Konz  
Revision date 24 Jun 2025

Print date 24 Jun 2025

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Store in a well-ventilated and dry room at temperatures between 5 °C and 25 °C.

**7.3 Specific end use(s)**

Observe technical data sheet.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Occupational exposure limit values**

CAS No.	Substance name	Source	Long-term /short-term (Spitzenbegrenzung)
* 34590-94-8	(2-methoxymethylethoxy)propanol	WEL	308 / - ( - ) mg/m <sup>3</sup> (may be absorbed through the skin)
* 67-63-0	isopropanol; isopropyl alcohol; propan-2-ol	WEL	999 / 1,250 ( - ) mg/m <sup>3</sup>

**Additional information**

Long-term: Long-term occupational exposure limit value

short-term: short-term occupational exposure limit value

**Biological limit values**

No data available

**DNEL worker**

CAS No.	Substance name	DNEL type	DNEL value
* 34590-94-8	(2-methoxymethylethoxy)propanol	Long-term – inhalation, systemic effects	308 mg/m <sup>3</sup>
* 34590-94-8	(2-methoxymethylethoxy)propanol	Long-term - dermal, systemic effects	283 mg/kg bw/day
5989-27-5	(R)-p-Mentha-1,8-dien	DNEL long-term dermal (systemic)	9.5 mg/kg
5989-27-5	(R)-p-Mentha-1,8-dien	DNEL long-term inhalative (systemic)	66.7 mg/m <sup>3</sup>
* 2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Long-term – inhalation, systemic effects	6.81 mg/m <sup>3</sup>
* 2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Long-term - dermal, systemic effects	0.966 mg/kg bw/day
* 68515-73-1	D-Glucopyranose,oligomeric,decyl octyl glycosides	Long-term – inhalation, systemic effects	420 mg/m <sup>3</sup>
* 68515-73-1	D-Glucopyranose,oligomeric,decyl octyl glycosides	Long-term - dermal, systemic effects	595,000 mg/kg bw/day
* 67-63-0	isopropanol; isopropyl alcohol; propan-2-ol	Long-term – inhalation, systemic effects	500 mg/m <sup>3</sup>
* 67-63-0	isopropanol; isopropyl alcohol; propan-2-ol	Long-term - dermal, systemic effects	888 mg/kg bw/day

**DNEL Consumer**

CAS No.	Substance name	DNEL type	DNEL value
* 34590-94-8	(2-methoxymethylethoxy)propanol	Long-term – inhalation, systemic effects	37.2 mg/m <sup>3</sup>
* 34590-94-8	(2-methoxymethylethoxy)propanol	Long-term - dermal, systemic effects	121 mg/kg bw/day
* 34590-94-8	(2-methoxymethylethoxy)propanol	Long-term - oral, systemic effects	36 mg/kg bw/day
5989-27-5	(R)-p-Mentha-1,8-dien	DNEL long-term dermal (systemic)	4.8 mg/kg
5989-27-5	(R)-p-Mentha-1,8-dien	DNEL long-term inhalative (systemic)	16.6 mg/m <sup>3</sup>
* 2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Long-term – inhalation, systemic effects	1.2 mg/m <sup>3</sup>

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) 2020/878**

ZZ29-0000-0AA  
Version 7.3

Brilliance NeutralCleaner Konz  
Revision date 24 Jun 2025

Print date 24 Jun 2025

*	2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Long-term - dermal, systemic effects	0.345 mg/kg bw/day
*	68515-73-1	D-Glucopyranose,oligomeric,decyl octyl glycosides	Long-term – inhalation, systemic effects	124 mg/m³
*	68515-73-1	D-Glucopyranose,oligomeric,decyl octyl glycosides	Long-term - dermal, systemic effects	357,000 mg/kg bw/day
*	68515-73-1	D-Glucopyranose,oligomeric,decyl octyl glycosides	Long-term - oral, systemic effects	35.7 mg/kg bw/day
*	67-63-0	isopropanol; isopropyl alcohol; propan-2-ol	Long-term – inhalation, systemic effects	89 mg/m³
*	67-63-0	isopropanol; isopropyl alcohol; propan-2-ol	Acute - inhalation, systemic effects	178
*	67-63-0	isopropanol; isopropyl alcohol; propan-2-ol	Long-term - dermal, systemic effects	319 mg/kg bw/day
*	67-63-0	isopropanol; isopropyl alcohol; propan-2-ol	Long-term - oral, systemic effects	26 mg/kg bw/day

**PNEC**

	CAS No.	Substance name	PNEC type	PNEC Value
*	34590-94-8	(2-methoxymethylethoxy)propanol	aquatic, intermittent release	190 mg/L
*	34590-94-8	(2-methoxymethylethoxy)propanol	aquatic, marine water	1.9 mg/L
*	34590-94-8	(2-methoxymethylethoxy)propanol	sewage treatment plant	4,168 mg/L
*	34590-94-8	(2-methoxymethylethoxy)propanol	sediment, freshwater	70.2 mg/kg sediment dw
*	34590-94-8	(2-methoxymethylethoxy)propanol	sediment, marine water	7.02 mg/kg sediment dw
	5989-27-5	(R)-p-Mentha-1,8-dien	PNEC soil, freshwater	0.763 mg/kg
	5989-27-5	(R)-p-Mentha-1,8-dien	PNEC sediment, marine water	0.385 mg/kg
	5989-27-5	(R)-p-Mentha-1,8-dien	PNEC sediment, freshwater	3.85 mg/kg
	5989-27-5	(R)-p-Mentha-1,8-dien	PNEC Secondary Poisoning	133 mg/kg
	5989-27-5	(R)-p-Mentha-1,8-dien	PNEC aquatic, marine water	1.4 µg/L
	5989-27-5	(R)-p-Mentha-1,8-dien	PNEC sewage treatment plant (STP)	1.8 mg/L
	5989-27-5	(R)-p-Mentha-1,8-dien	PNEC aquatic, freshwater	14 µg/L
*	2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	aquatic, intermittent release	1.1 µg/L
*	2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	aquatic, marine water	0.403 µg/L
*	2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	sewage treatment plant	1.03 mg/L
*	2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	sediment, freshwater	49.9 µg/kg sediment dw
*	2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	sediment, marine water	4.99 µg/kg sediment dw
*	68515-73-1	D-Glucopyranose,oligomeric,decyl octyl glycosides	aquatic, intermittent release	0.27 mg/L
*	68515-73-1	D-Glucopyranose,oligomeric,decyl octyl glycosides	aquatic, marine water	0.018 mg/L
*	68515-73-1	D-Glucopyranose,oligomeric,decyl octyl glycosides	sewage treatment plant	560 mg/L
*	68515-73-1	D-Glucopyranose,oligomeric,decyl octyl glycosides	sediment, freshwater	1.516 mg/kg sediment dw
*	68515-73-1	D-Glucopyranose,oligomeric,decyl octyl glycosides	sediment, marine water	0.152 mg/kg sediment dw
*	67-63-0	isopropanol; isopropyl alcohol; propan-2-ol	PNEC soil, freshwater	28 mg/kg
*	67-63-0	isopropanol; isopropyl alcohol; propan-2-ol	PNEC sediment, marine water	552 mg/kg
*	67-63-0	isopropanol; isopropyl alcohol; propan-2-ol	PNEC sediment, freshwater	552 mg/kg
*	67-63-0	isopropanol; isopropyl alcohol; propan-2-ol	PNEC Secondary Poisoning	160 mg/kg
*	67-63-0	isopropanol; isopropyl alcohol; propan-2-ol	PNEC aquatic, marine water	140.9 mg/L
*	67-63-0	isopropanol; isopropyl alcohol; propan-2-ol	PNEC aquatic, freshwater	140.9 mg/L
*	67-63-0	isopropanol; isopropyl alcohol; propan-2-ol	PNEC sewage treatment plant	2,251 mg/L

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) 2020/878**

ZZ29-0000-0AA  
Version 7.3

Brilliance NeutralCleaner Konz  
Revision date 24 Jun 2025

Print date 24 Jun 2025

	(STP)	
--	-------	--

## 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

### Personal protection equipment

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Hand protection

Suitable material: NBR (Nitrile rubber)  
Thickness of the glove material  $\geq 0.4$  mm  
Breakthrough time  $\geq 480$  min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin.

Recommended glove articles: EN ISO 374

#### Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye/face protection

Eye glasses with side protection: EN 166

#### Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn. Anti-static clothing including shoes are recommended.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	Liquid	
Colour	colourless	
Odour	characteristic	
pH at 20.0 °C (100%)	7 - 8	DIN EN ISO 19396-1
Melting point/freezing point	-89.5 °C	
	Source: isopropanol; isopropyl alcohol; propan-2-ol	
Initial boiling point and boiling range	82.3 °C	
	Source: isopropanol; isopropyl alcohol; propan-2-ol	
Flash point	105 °C	
flammability	not applicable	
Lower explosion limit at 20°C	1.1 Vol-%	
	Source: (2-methoxymethylethoxy)propanol	
Upper explosion limit at 20°C	14 Vol-%	
	Source: (2-methoxymethylethoxy)propanol	
Vapour pressure at 20°C	20.97 mbar	
Relative vapour density	not applicable	
Density at 20 °C	1.00 kg/l	
Water solubility at 20°C	completely miscible	
Partition coefficient: n-octanol/water	see section 12	
Ignition temperature in °C	207 °C	
	Source: (2-methoxymethylethoxy)propanol	
Decomposition temperature	not determined	
Viscosity at 20 °C	20 mm <sup>2</sup> /s	

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) 2020/878**

ZZ29-0000-0AA  
Version 7.3

Brilliance NeutralCleaner Konz  
Revision date 24 Jun 2025

Print date 24 Jun 2025

particle characteristics

not applicable

9.2

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

### 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

### 10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

### 10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

### 10.5 Incompatible materials

No further relevant information available.

### 10.6 Hazardous decomposition products

Decomposition products in case of fire: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### \* 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

LD50: dermal (Rat): > 2,000 mg/kg

LD50: oral (Rat): 454 mg/kg

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.



**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) 2020/878**

ZZ29-0000-0AA  
Version 7.3

Brilliance NeutralCleaner Konz  
Revision date 24 Jun 2025

Print date 24 Jun 2025

## SECTION 12: Ecological information

### 12.1 Toxicity

Based on available data, the classification criteria are not met.

#### **Acute (short-term) fish toxicity**

- \* **1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one**  
LC50: (Oncorhynchus mykiss (Rainbow trout)): 1.6 mg/L (96 h)

- \* **Acute (short-term) toxicity to aquatic invertebrates**  
EC50 (Americamysis bahia): 989.3 µg/L (96 h)

### 12.2 Persistence and degradability

- \* **(2-methoxymethylethoxy)propanol**  
Biodegradation = 75 % (28 d)
- \* Biodegradation = 93 % (13 d)
- \* **1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one**  
Biodegradation = 90 %
- \* **isopropanol; isopropyl alcohol; propan-2-ol**  
Biodegradation = 2.32 %  
Biodegradation = 62 %

### 12.3 Bioaccumulative potential

- \* **(2-methoxymethylethoxy)propanol**  
Partition coefficient: n-octanol/water = 1.01
- \* **1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one**  
= 0.7  
Partition coefficient: n-octanol/water = 0.35 ((2-methoxymethylethoxy)propanol)
- \* **isopropanol; isopropyl alcohol; propan-2-ol**  
Partition coefficient: n-octanol/water = 0.16  
Partition coefficient: n-octanol/water = -2.38 (Pyridine-2-thiol 1-oxide, sodium salt)
- \* Partition coefficient: n-octanol/water = 0.05 (isopropanol; isopropyl alcohol; propan-2-ol)
- \* Partition coefficient: n-octanol/water = 0.64 (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one)

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7 Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### **Product/Packaging disposal**

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### **Waste codes/waste designations according to EWC/AVV**

080112 - waste paint and varnish other than those mentioned in 08 01 11

#### **Other disposal recommendations**

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

## SECTION 14: Transport information

### 14.1 UN number or ID number

not applicable



**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) 2020/878**

ZZ29-0000-0AA  
Version 7.3

Brilliance NeutralCleaner Konz  
Revision date 24 Jun 2025

Print date 24 Jun 2025

**14.2 UN proper shipping name**

**Land transport (ADR/RID)**

No dangerous good in sense of these transport regulations.

**Sea transport (IMDG)**

No dangerous good in sense of these transport regulations.

**Air transport (ICAO-TI / IATA-DGR)**

No dangerous good in sense of these transport regulations.

**14.3 Transport hazard class(es)**

not applicable

**14.4 Packing group**

not applicable

**14.5 Environmental hazards**

Land transport (ADR/RID)

not applicable

Sea transport (IMDG)

not applicable

**14.6 Special precautions for user**

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

**14.7 Maritime transport in bulk according to IMO instruments**

No transport as bulk according to IBC Code.

**14.8 Additional information**

**Land transport (ADR/RID)**

not applicable

**Sea transport (IMDG)**

not applicable

**Air transport (ICAO-TI / IATA-DGR)**

not applicable

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU legislation**

**Authorisations and/or restrictions on use**

**Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)**

Use restriction according to REACH annex XVII, no.: 03, 40

**Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.  
Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

**Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]**

VOC value: 87 g/l

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]**

**Hazard categories / Named dangerous substances**

This product is not classified according to Directive 2012/18/EU.

**National regulations**

Observe in addition any national regulations!

**15.2 Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information**

**List of relevant hazard statements and/or precautionary statements from sections 2 to 15**

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) 2020/878**

ZZ29-0000-0AA  
Version 7.3

Brilliance NeutralCleaner Konz  
Revision date 24 Jun 2025

Print date 24 Jun 2025

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH070	Toxic by eye contact.

**Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]**

not applicable

**Key literature references and sources for data**

Data arise from reference works and literature.

**Abbreviations and acronyms**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL: Occupational Exposure Limit Value

BLV: Biological limit values

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard

DNEL: Derived No-Effect Level

EAKV: European Waste Catalogue Directive

EC: Effective Concentration

EC: European Community

EN: European Standard

EU/EEA: European Economic Area

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG Code: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

LC: Lethal Concentration

:

LD: Lethal Dose

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OECD: Organisation for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic

PNEC: Predicted No Effect Concentration

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative

**Indication of changes**

\* Data changed compared with the previous version.