

Article Print c Versic	date: 11.02.		Classic OutdoorOil Revision date: 11.0 Issue date: 18.11.2	2.2023	56142 US Page 1 / 8	
SEC	TION 1: Identifica	tion of the	substance/mixtu	re and of the company	//undertaking	
1.1.	Product identifier					
	Article No. (manufa Trade name/design		ier)	KG90514ADJ10 Classic OutdoorOil Taub Taubenblau/Dove Blue Stat. Warennummer 320		
1.2.	Relevant identified	d uses of th	e substance or mix	ture and uses advised a	gainst	
	Relevant identified paint and/or paint re		ial			
	Uses advised agai Do not use for injec Product is not inten	ting or sprag				
1.3.	Details of the supp	olier of the	safety data sheet			
	supplier (manufac Berger-Seidle Gmb Parkettlacke - Klebs Maybachstraße 2 67269 Grünstadt Germany	H .	ter/downstream us o	er/distributor) Telephone: +49 6359 / 8 Telefax: +49 6359 / 8005		
	Department respo	nsible for i	nformation:			
	Laboratory E-mail			Sicherheitsdaten@berge	er-seidle.de	
1.4.	Emergency teleph 24-hour emergency			88271 or +11 49 700 2411	12112 (BLG)	
SEC	TION 2: Hazards i	dentificati	on			
2.1.	Classification of th	he substan	ce or mixture			
	GHS-US classifica Flam. Liq. 4 / H227		Flammable liquids	(Combustible liquid.	
2.2.	Label elements					
	GHS-US labeling					
	Hazard pictograms	s				
	Warning					
	Hazard statements H227		tible liquid.			
	Precautionary stat		• • • • •			
	P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P280Wear protective gloves and eye/face protection.P370 + P378In case of fire: Use extinguishing powder or sand to extinguish.P403Store in a well-ventilated place.P501Dispose of contents/container to industrial incineration plant.					
	Hazard componen	its for label	Hazard components for labelling			

2.3. Other hazards

Spontaneous ignition possible through autoxidation of cloths soaked in the product. (The same applies to dust and other paint-soaked items). The product itself is not self ignitive.

Other information

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description Alkydharz-Pflanzenöl-Kombination Hazardous ingredients



GHS-US classification

CAS No.	Designation // Remark	weight-%
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	25 - 50
	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	7,5 - 10
	Alkanes, C11-13-isoalkane < 2% Aromaten	1 - 2,5
64742-47-8	Distillates (petroleum), hydrotreated light	1 - 2,5
22464-99-9	2-ethylhexanoic acid, zirconium salt	0,25 - 0,5
85-44-9	phthalic anhydride	0,1 - 0,25

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media alcohol resistant foam, carbon dioxide, Powder, spray mist, (water) Unsuitable extinguishing media strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions



Article No.:	KG90514ADJ10	Classic OutdoorOil Taubenblau	
Print date:	11.02.2023	Revision date: 11.02.2023	56142 US
Version:	13.0002	Issue date: 18.11.2022	Page 3 / 8

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Further information

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 25 °C. Protect from heat and direct sunlight.

Due to the content of organic solvents in the preparation:

Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet.Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

phthalic anhydride Index No. 607-009-00-4 / EC No. 201-607-5 / CAS No. 85-44-9 IDLH, TWA: 60 mg/m3 OSHA, TWA: 12 mg/m3; 2 ppm NIOSH, TWA: 6 mg/m3; 1 ppm ACGIH, TWA: 0,002 mg/m3 ACGIH, STEL: 0,005 mg/m3 Remark: (may be absorbed through the skin)

Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value C : peak limitation

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and



Article No.:	KG90514ADJ10	Classic OutdoorOil Taubenblau	
Print date:	11.02.2023	Revision date: 11.02.2023	56142 US
Version:	13.0002	Issue date: 18.11.2022	Page 4 / 8

solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: Butyl caoutchouc (butyl rubber)

Thickness of the glove material > 0,4 mm; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	blue
Odour:	characteristic
Odour threshold:	not applicable
	170 °C
Initial boiling point and boiling range:	Source: Alkanes, C11-13-isoalkane < 2% Aromaten
Lower and upper explosion limit:	
Lower and upper explosion limit: Lower explosion limit:	0,8 Vol-%
Upper explosion limit:	14 Vol-%
	Source: (2-methoxymethylethoxy)propanol
Flash point:	> 61 °C
•	> 200 °C
Auto-ignition temperature:	
-	Source: Alkanes, C11-13-isoalkane < 2% Aromaten
Decomposition temperature:	not applicable
pH at 20 °C:	not applicable
Cinematic viscosity (40°C):	< 80 mm²/s
Viscosity at 20 °C:	14 s 4 mm
	Method: DIN 53211
Solubility(ies):	
Water solubility at 20 °C:	insoluble
Partition coefficient: n-octanol/water:	see section 12
Vapour pressure at 20 °C:	0.7 mbar
	Method: calculated.
	Source: Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics
Density and/or relative density:	
Density at 20 °C:	0,97 g/cm³
	Method: ISO 2811, part 3



Article Print o Versio	date: 11.02.202	3 Revision of	utdoorOil Taubenblau date: 11.02.2023 e: 18.11.2022	56142 US Page 5 / 8
	Relative vapour densi	tv:	not applicable	
	particle characteristic	-	not applicable	
9.2.	Other information			*
	Solvent separation te	st:	< 3 weight-% (ADR/I	RID)
SEC	TION 10: Stability an	d reactivity		
	Reactivity No information availabl			
10.2.	Chemical stability		egulations for storage and h	andling. Further information on correct storage: refer to
10.3.	Possibility of hazardo Keep away from strong		s and strong oxidizing agent	s to avoid exothermic reactions.
10.4.			egulations for storage and had	andling. Further information on correct storage: refer to ire to high temperatures.
10.5.	Incompatible material not applicable	S		
10.6.	Hazardous decomposit Hazardous decomposit smoke, nitrogen oxides	ion byproducts may	y form with exposure to high	temperatures, e.g.: carbon dioxide, carbon monoxide,
SEC	TION 11: Toxicologic	al information		
11.1.	Information on hazard	d classes as define	ed in Regulation (EC) No 12	272/2008
	Acute toxicity			
	phthalic anhydride oral, LD50, Rat: 1530 dermal, LD50, Rabbit: inhalative, Rat: 0,21 n	: 3160 mg/kg		
		3, n-alkanes, isoalk 00 mg/kg : > 5000 mg/kg	anes, cyclics, < 2% aromatic	CS
	Skin corrosion/irritation	on; Serious eye da	amage/eye irritation	
	phthalic anhydride Skin (4 h) eyes			
		3, n-alkanes, isoalk	anes, cyclics, < 2% aromatic	cs
	Respiratory or skin se	ensitisation		
	phthalic anhydride Skin: Respiratory system:			
	Hydrocarbons, C10-C1	3, n-alkanes, isoalk	anes, cyclics, < 2% aromatio	CS
	CMR effects (carcinog	genicity, mutageni	city and toxicity for reprod	uction)
	2-ethylhexanoic acid, z Reproductive toxicity	irconium salt		
	STOT-single exposure	e; STOT-repeated	exposure	
	phthalic anhydride Specific target organ t	toxicity (single expo	sure), Irritation	
			anes, cyclics, < 2% aromationsure) Evaluation The subst	cs ance or mixture is not rated as target-organ-toxic

Specific target organ toxicity (single exposure) Evaluation The substance or mixture is not rated as target-organ-toxic



Article No.:	KG90514ADJ10	Classic OutdoorOil Taubenblau	
Print date:	11.02.2023	Revision date: 11.02.2023	56142 US
Version:	13.0002	Issue date: 18.11.2022	Page 6 / 8

Aspiration hazard

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics Aspiration hazard; Evaluation May be fatal if swallowed and enters airways.

Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics

Aspiration hazard

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

12.1. Toxicity

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics Fish toxicity, LL0, Oncorhynchus mykiss (Rainbow trout) (96 h) Daphnia toxicity, EL0, Daphnia magna (Big water flea): 1000 mg/L (48 h) Algae toxicity, EL0, Pseudokirchneriella subcapitata: 72 mg/L (72 h)

Long-term Ecotoxicity

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics Fish toxicity, NOELR, Oncorhynchus mykiss (Rainbow trout): 0,1 mg/L (28 D) Daphnia toxicity, NOELR, Daphnia magna (Big water flea): 0,18 mg/L (21 D)

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

phthalic anhydride

Partition coefficient: n-octanol/water: 1,6

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties No information available.

12.7. **Other adverse effects** No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product



Article No.:	KG90514ADJ10	Classic OutdoorOil Taubenblau	
Print date:	11.02.2023	Revision date: 11.02.2023	56142 US
Version:	13.0002	Issue date: 18.11.2022	Page 7 / 8

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

	No dangerous good in sense of this transport regulation.		
14.1.	UN number or ID number		
		not applicable	
14.2.	UN proper shipping name		
14.3	Transport hazard class(es)		
14.0.		not applicable	
14.4.	Packing group	*	
		not applicable	
14.5.	Environmental hazards		
	Land transport (ADR/RID)	not applicable	
	Marine pollutant	not applicable	
14.6.	Special precautions for user		
	Transport always in closed, upright and safe co case of an accident or leakage. Advices on safe handling: see parts 6 - 8	ontainers. Make sure that persons transporting the product know what to do in	
	Further information		
	Land transport (ADR/RID)		
	Tunnel restriction code	-	
	Sea transport (IMDG)		
	EmS-No.	not applicable	
14.7.	Maritime transport in bulk according to IMO	instruments	

No transport as bulk according IBC - Code.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

US Federal regulations

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] This product is not classified according to Directive 2012/18/EU.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value (in g/L) ISO 11890-2: 452

VOC-value (in g/L) ASTM D2369: 452

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC product category: (Cat. A/i) ; VOC limit value: 500 g/l

Maximum VOC content of the product in a ready to use condition (in g/L): 452

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Substance/product listed in the following inventories:

TSCA: All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA



Print date: 1	<g90514adj10 11.02.2023 13.0002</g90514adj10 	Classic OutdoorOil Taubenblau Revision date: 11.02.2023 Issue date: 18.11.2022	56142 US Page 8 / 8	
---------------	---	--	------------------------	--

Inventory exemption

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Full text of classification in section 3:					
Asp. Tox. 1 / H304	Aspiration hazard	May be fatal if swallowed and enters airways.			
Flam. Liq. 3 / H226	Flammable liquids	Flammable liquid and vapour.			
Repr. 2 / H361	Reproductive toxicity	Suspected of damaging the unborn child.			
Acute Tox. 4 / H302	Acute toxicity (oral)	Harmful if swallowed.			
STOT SE 3 / H335	STOT-single exposure	May cause respiratory irritation.			
Skin Irrit. 2 / H315	Skin corrosion/irritation	Causes skin irritation.			
Eye Dam. 1 / H318	Serious eye damage/eye irritation	Causes serious eye damage.			
Resp. Sens. 1 / H33	, , ,	May cause allergy or asthma symptoms or			
		breathing difficulties if inhaled.			
Skin Sens. 1 / H317	Respiratory or skin sensitisation	May cause an allergic skin reaction.			
Classification proc	edure				
Classification for mix	ctures and used evaluation method according to rec	gulation (EC) No 1272/2008 [CLP]			
Flam. Liq. 4	Flammable liquids	On basis of test data.			
Abbreviations and	acronyms				
ADR	European Agreement concerning the Internation	al Carriage of Dangerous Goods by Road			
OEL	Occupational Exposure Limit Value				
BLV	Biological Limit Value				
CAS	Chemical Abstracts Service				
CLP	Classification, Labelling and Packaging				
CMR	Carcinogenic, Mutagenic and Reprotoxic				
DIN	German Institute for Standardization / German ir	ndustrial standard			
DNEL	Derived No-Effect Level				
EAKV	European Waste Catalogue Directive				
EC	Effective Concentration	Effective Concentration			
EC	European Community				
EN	European Standard				
IATA-DGR	International Air Transport Association – Danger	International Air Transport Association – Dangerous Goods Regulations			
IBC Code	International Code for the Construction and Equi	pment of Ships carrying Dangerous Chemicals in Bulk			
ICAO-TI	International Civil Aviation Organization Techni	cal Instructions for the Safe Transport of Dangerous			
	Goods by Air				
IMDG Code	International Maritime Code for Dangerous Good	ls			
ISO	International Organization for Standardization				
LC	Lethal Concentration				
LD	Lethal Dose				
MARPOL	Maritime Pollution: The International Convention				
OECD	Organisation for Economic Cooperation and Dev	velopment			
PBT	persistent, bioaccumulative, toxic				
PNEC	Predicted No Effect Concentration				
REACH	Registration, Evaluation, Authorisation and Rest				
RID	Regulations concerning the International Carriag	e of Dangerous Goods by Rail			
UN	United Nations				
VOC	Volatile Organic Compounds				
vPvB	very persistent and very bioaccumulative				
Further information	1				

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version