

						Parkett will das Deste!
Article Print o Versio	date:	XS45DUO2CK10 25.02.2023 4.0000	AquaSeal ElasticS Revision date: 25. Issue date: 05.11.2	02.2023	56142 US Page 1 / 7	
SEC	TION 1: Ide	ntification of the	substance/mixtu	ure and of the co	ompany/undertaking	
1.1.	Product ide	ntifier				
	Article No. (r Trade name	nanufacturer/suppl /designation	ier)	XS45DUO2CK10 AquaSeal Elastic matt		
1.2.	Relevant ide	entified uses of th	e substance or mi	xture and uses ad	vised against	
	paint and/or	entified uses paint related mater	ial			
		or injecting or spray or intended for cons				
1.3.	Details of th	e supplier of the	safety data sheet			
			ter/downstream us	ser/distributor)		
	Berger-Seidl Parkettlacke Maybachstra 67269 Grüns Germany	- Klebstoffe - Baud ße 2	hemie	Telephone: +49 Telefax: +49 635		
	Department Laboratory E-mail	responsible for i	nformation:	Ciele entre ite de terr	Obernen esidie de	
1.4.	Emergency	telephone numbe			@berger-seidle.de '00 24112112 (BLG)	
SEC		ards identificati				
2.1.	GHS-US cla	on of the substand ssification	ce or mixture			
2.2.	Label eleme	nto				
Z.Z.	GHS-US lab					
	Hazard pict					
		ograms				
	Hazard state	e ments not appli	cable			
	Precautiona	iry statements not appli				
	Hazard com	ponents for label	ling			
2.3.	Other hazar	ds				
	No informati	on available.				
	Other inforr If medical a use.		ave product conta	iner or label at ha	nd. Keep out of reach of childre	en. Read label before
SEC	TION 3: Cor	nposition/inforn	nation on ingredi	ents		
3.2.	Mixtures					
	Description		rne finishes with an lpyrrolidone-free	isocyanate-contair	ing hardener, solvent content up	to 5%,
	Hazardous GHS-US cla					
	CAS No.	Designa // Remai				weight-%

// Remark



Article No.:	XS45DUO2CK10	AquaSeal ElasticStar
Print date:	25.02.2023	Revision date: 25.02.2023
Version:	4.0000	lssue date: 05.11.2022

56142 US Page 2 / 7

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only



Article No.:	XS45DUO2CK10	AquaSeal ElasticStar	
Print date:	25.02.2023	Revision date: 25.02.2023	56142 US
Version:	4.0000	Issue date: 05.11.2022	Page 3 / 7

use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Further information

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 25 °C. Protect from heat and direct sunlight.

Due to the content of organic solvents in the preparation:

Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

not applicable

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: Butyl caoutchouc (butyl rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



rticle No.: rint date: ersion:		ElasticStar ate: 25.02.2023 56142 US : 05.11.2022 Page 4 / 7		
Physica Colour	al state: :	Liquid white		
Odour:		characteristic		
Odour	threshold:	not applicable		
Initial b	ooiling point and boiling range:	100 °C Source: Water		
Lowe	and upper explosion limit: r explosion limit: r explosion limit: point:	1,3 Vol-% 12,2 Vol-% Source: 2-(2-ethoxyethoxy)ethanol > 100 °C		
-	nition temperature:	190 °C Source: 2-(2-ethoxyethoxy)ethanol		
Decom	position temperature:	not applicable		
pH at 2	0 °C:	not applicable		
Cinema	atic viscosity (40°C):	< 220 mm²/s		
Viscosi	ity at 20 °C:	40 s 4 mm Method: DIN 53211		
	ity(ies):			
	solubility at 20 °C: on coefficient: n-octanol/water:	partially soluble see section 12		
	pressure at 20 °C:	23 mbar Method: calculated. Source: Water		
	/ and/or relative density: y at 20 °C:	1,04 g/cm³ Method: ISO 2811, part 3		
Relativ	e vapour density:	not applicable		
particle	e characteristics:	not applicable		
	nformation			
Solven	t separation test:	< 3 weight-% (ADR/RID)		
SECTION 10): Stability and reactivity			
0.1. Reactiv	/ity rmation available.			
10.2. Chemic	cal stability when applying the recommended re	gulations for storage and handling. Further information on correct storage: refe		

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. **Incompatible materials** not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information



Article No.:	XS45DUO2CK10	AquaSeal ElasticStar
Print date:	25.02.2023	Revision date: 25.02.2023
Version:	4.0000	Issue date: 05.11.2022

56142 US Page 5 / 7

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself . The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers.See chapters 2 and 15 for details.

11.2. Information on other hazards

Endocrine disrupting properties No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. **Bioaccumulative potential** Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.



Article No.: Print date: Version:		XS45DUO2CK10 25.02.2023 4.0000	AquaSeal ElasticStar Revision date: 25.02.2023 Issue date: 05.11.2022	56142 US Page 6 / 7
SEC	FION 13: Di	sposal consider	ations	
13.1.	Waste treat	ment methods		
	Recommen Do not allov	v to enter into surfa		nd its container must be disposed of in a safe way. Waste Ingerous waste.
	List of prop 080112		/waste designations in accordance int and varnish other than those me	
	Recommen		ge ay be recycled. Vessels not properly	<i>r</i> emptied are special waste.
SEC	ΓΙΟΝ 14: Tr	ansport informa	tion	
	No dangero	ous good in sense	of this transport regulation.	
14.1.	UN number	or ID number		
14.2.	UN proper s	shipping name	not applicable	
14.3.	Transport h	nazard class(es)	not applicable	
	Packing gro	-	not applicable	
14.5.		ntal hazards		
	-	ort (ADR/RID)	not applicable	
14.6	Marine pollu	cautions for user	not applicable	
14.0.	Transport al case of an a		-	that persons transporting the product know what to do in
	Further info	ormation		
	Land transp Tunnel restr	port (ADR/RID) iction code	-	
	Sea transpo	ort (IMDG)		
	EmS-No.		not applicable	
14.7.		•	cording to IMO instruments	
	No transpor	t as bulk according	IBC - Code.	
SEC	TION 15: Re	egulatory inform	ation	
15.1.		lth and environme regulations	ntal regulations/legislation specif	ic for the substance or mixture

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] This product is not classified according to Directive 2012/18/EU.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value (in g/L) ISO 11890-2: 47 VOC-value (in g/L) ASTM D2369: 175

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC product category: (Cat. A/j) ; VOC limit value: 140 g/l

Maximum VOC content of the product in a ready to use condition (in g/L): 71

National regulations

Restrictions of occupation



Article No.:	XS45DUO2CK10	AquaSeal ElasticStar	
Print date:	25.02.2023	Revision date: 25.02.2023	56142 US
Version:	4.0000	Issue date: 05.11.2022	Page 7 / 7

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Substance/product listed in the following inventories:

TSCA: All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and	acronyms
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level
EAKV	European Waste Catalogue Directive
EC	Effective Concentration
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose Maritime Bally time The later stimul Convertion for the Brown time of Bally time from China
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT PNEC	persistent, bioaccumulative, toxic Predicted No Effect Concentration
-	
REACH RID	Registration, Evaluation, Authorisation and Restriction of Chemicals
UN	Regulations concerning the International Carriage of Dangerous Goods by Rail United Nations
VOC	
	Volatile Organic Compounds
vPvB	very persistent and very bioaccumulative

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.