

Article Print o Versio	late:	XS50DUO2CK10 25.02.2023 6.0000	AquaSeal Sport Revision date: 25.0 Issue date: 05.11.2		56142 US Page 1 / 7
SEC	TION 1: Ider	tification of the	substance/mixtu	re and of the company	y/undertaking
1.1.	Product ide	ntifier			
	Article No. (n Trade name/	nanufacturer/suppl designation	er)	XS50DUO2CK10 AquaSeal Sport Matt/Satin abZ-Nr. Z-157.10-47	
1.2.	Relevant ide	ntified uses of th	e substance or mix	ture and uses advised a	gainst
	•	paint related mater	ial		
		<b>d against</b> or injecting or spray t intended for cons			
1.3.	Details of th	e supplier of the s	safety data sheet		
			ter/downstream us	er/distributor)	
	Berger-Seidle Parkettlacke Maybachstra 67269 Grüns Germany	- Klebstoffe - Bauc ße 2	hemie	Telephone: +49 6359 / 8 Telefax: +49 6359 / 8005	
	,	responsible for ir	formation:		
	Laboratory E-mail			Sicherheitsdaten@berge	er-seidle.de
1.4.		telephone numbe rgency number in s		88271 or +11 49 700 2411	12112 (BLG)
SEC	TION 2: Haz	ards identificati	on		
2.1.	Classificatio GHS-US clas	on of the substand	e or mixture		
2.2.	Label eleme	nts			
	GHS-US lab	eling			
	Hazard picto	ograms			
	Hazard state				
	<b>D</b>	not appli	cable		
	Precautiona	<b>ry statements</b> not appli	cable		
	Hazard com	ponents for label			
2.3.	Other hazar	ds			
	No information	on available.			
	Other inform If medical ac use.		ave product contai	ner or label at hand. Kee	ep out of reach of children. Read label before
SEC	TION 3: Con	nposition/inform	ation on ingredie	ents	
3.2.	Mixtures				
	Description	N-methy	rne finishes with an i pyrrolidone-free	socyanate-containing hard	dener, solvent content up to 15%,

# Hazardous ingredients

**GHS-US** classification

CAS No.	Designation	weight-%
	// Remark	



Article No.:	XS50DUO2CK10	AquaSeal Sport
Print date:	25.02.2023	Revision date: 25.02.2023
Version:	6.0000	Issue date: 05.11.2022

56142 US Page 2 / 7

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media strong water jet

# 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

## 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

#### 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

# Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only



Article No .:	XS50DUO2CK10	AguaSeal Sport	
Print date:	25.02.2023	Revision date: 25.02.2023	56142 US
Version:	6.0000	Issue date: 05.11.2022	Page 3 / 7

use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### **Further information**

Vapours are heavier than air. Vapours form explosive mixtures with air.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 25 °C. Protect from heat and direct sunlight.

Due to the content of organic solvents in the preparation:

Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Occupational exposure limit values

not applicable

## 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

#### Personal protection equipment

#### **Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: Butyl caoutchouc (butyl rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye/face protection

Wear closely fitting protective glasses in case of splashes.

#### Body protection

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

#### Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties



					Parkett will das Deste
Article Print d Versio	ate:	XS50DUO2CK10 25.02.2023 6.0000	AquaSeal Spor Revision date: Issue date: 05.	25.02.2023	56142 US Page 4 / 7
	<b>D</b> I				
	Physical Colour:	state:		Liquid white	
	Odour:			characteristic	
	Odour th	reshold:		not applicable	
	Initial boi	iling point and boilin	g range:	100 °C	
		d upper explosion li explosion limit:	mit:	Source: Water	
	Upper e	xplosion limit:		not applicable	
	Flash poi	int:		not applicable	
	-	tion temperature:		not applicable	
	Decompo	osition temperature:		not applicable	
	pH at 20	°C:		8,6 - 8,8 / 100,0 w	eight-%
	-	c viscosity (40°C):		< 80 mm²/s	
	Viscosity	at 20 °C:		<b>17 s 4 mm</b> Method: DIN 532 <sup>:</sup>	11
	Solubility	/(ies):			
		olubility at 20 °C:		miscible	
	Partition	coefficient: n-octane	ol/water:	see section 12	
	Vapour p	ressure at 20 °C:		<b>23 mbar</b> Method: calculate Source: Water	ed.
	Density a Density a	nd/or relative densit at 20 °C:	y:	<b>1,04 g/cm³</b> Method: ISO 2811	1, part 3
	Relative	vapour density:		not applicable	
	particle c	haracteristics:		not applicable	
9.2.	Other inf				
		eparation test:		< 3 weight-% (AD	R/RID)
SEC	TION 10:	Stability and react	ivity		
10.1.	Reactivit	<b>y</b> ation available.			
10.2.	Chemical stability Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer section 7.				
10.3.		ty of hazardous reac		l strong oxidizing ag	ents to avoid exothermic reactions.
10.4.	Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions. <b>Conditions to avoid</b> Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.				
10.5.	. Incompatible materials				
10.6.	Hazardou	us decomposition pr		n with exposure to h	igh temperatures, e.g.: carbon dioxide, carbon monoxide

# **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



Article No.: Print date:	XS50DUO2CK10 25.02.2023	Revision date: 25.02.2023
Version:	6.0000	Issue date: 05.11.2022

56142 US Page 5 / 7

# Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

#### STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### **Overall assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### Remark

There is no information available on the preparation itself . The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

#### 11.2. Information on other hazards

# Endocrine disrupting properties

No information available.

## **SECTION 12: Ecological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

#### Long-term Ecotoxicity

Toxicological data are not available.

#### 12.2. **Persistence and degradability** Toxicological data are not available.

# 12.3. Bioaccumulative potential

Toxicological data are not available.

# **Bioconcentration factor (BCF)**

Toxicological data are not available.

# 12.4. Mobility in soil

Toxicological data are not available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties No information available.

#### 12.7. Other adverse effects No information available.

# **SECTION 13: Disposal considerations**



Article Print d Versio	ate:	XS50DUO2CK10 25.02.2023 6.0000	AquaSeal Sport Revision date: 25.02.2023 Issue date: 05.11.2022	56142 US Page 6 / 7		
13.1.	Waste treatment methods					
	Appropriate disposal / Product Recommendation Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.					
		posed waste codes	s/waste designations in accordanc	e with EWC		
	Recomme		<b>ge</b> ay be recycled. Vessels not properly	emptied are special waste.		
SEC	TION 14: T	ransport informa	tion			
	No danger	ous good in sense	of this transport regulation.			
14.1.	UN numbe	er or ID number				
			not applicable			
14.2.	UN proper	shipping name				
14.3.	Transport	hazard class(es)				
			not applicable			
14.4.	Packing g	roup				
4 5		antel herende	not applicable			
4.5.		ental hazards				
		port (ADR/RID)	not applicable			
4.0	Marine poll		not applicable			
4.6.	Transport a case of an	<b>Special precautions for user</b> Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8				
	Further inf	ormation				
	Land trans	sport (ADR/RID)				
		triction code	<u>-</u>			
	EmS-No.	oort (IMDG)	not applicable			
17		ransport in bulk as	cording to IMO instruments			
4.7.		rt as bulk according	-			
		Regulatory inform				
		• •				
5.1.	•		ntal regulations/legislation specifi	c for the substance or mixture		
	US Federal regulations Directive 2012/18/EU on the control of major accident bazards involving dangerous substances (Severe III Directive)					
	<b>Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]</b> This product is not classified according to Directive 2012/18/EU.					
	Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L) ISO 11890-2: 64 VOC-value (in g/L) ASTM D2369: 187					
	<b>Directive 2004/42/EC on the limitation of emissions of volatile organic compounds</b> VOC product category: (Cat. A/j) ; VOC limit value: 140 g/l Maximum VOC content of the product in a ready to use condition (in g/L): 99					
	National re	gulations				
		ns of occupation				
				ective (92/85/EEC) for expectant or nursing mothers. venile work protection guideline' (94/33/EC).		

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).



Article No.:	XS50DUO2CK10	AquaSeal Sport	
Print date:	25.02.2023	Revision date: 25.02.2023	5614
Version:	6.0000	Issue date: 05.11.2022	Page

56142 US Page 7 / 7

#### Substance/product listed in the following inventories:

TSCA: All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level
EAKV	European Waste Catalogue Directive
EC	Effective Concentration
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
UN	United Nations
VOC	Volatile Organic Compounds
vPvB	very persistent and very bioaccumulative

#### Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.